SAFETY DATA SHEET

SECTION 1: Identification



BASEKOTE

(1a) Product Identifier:

Product Name : BASEKOTE

(1b) Other means of identification:

Generic Name or Description : Primer Epoxy Coating

(1c) Recommended use of the chemical and restrictions on use:

Please read label for appropriate directions for use.

(1d) Name, address, and telephone number of responsible party:

Company : KoreKote

Address : 889 Guy Paine Road

Macon, GA 31206

Telephone : +1.800.659.8270

(1e) Emergency phone number:

IN CASE OF EMERGENCY:

Call CHEMTREC at 1.800.424.9300

Contact only in case of chemical emergencies involving a spill, leak, fire, exposure, or accident involving chemicals.

SECTION 2: Hazard Identification

(2a) Classification of the chemical:

Health Hazards : Sensitization - Skin, category 1

Skin Irritation, category 2 Eye Irritation, category 2

Physical Hazards

(2b) Labeling Elements:

Hazard Pictograms :



Signal Word : WARNING

Hazard Statement(s) : May cause an allergic skin reaction.

Causes skin irritation.

Causes serious eye irritation.

PRODUCT: BASEKOTE Page 1 of 7

Precautionary Statement(s)

Prevention : Avoid breathing vapors.

Contaminated work clothing must not be allowed out of the

workplace.

Wear protective gloves. Wear eye protection.

Wash hands and exposed skin thoroughly after handling.

Response : IF ON SKIN: Wash with plenty of water.

If skin irritation or rash occurs: Get medical attention.

Specific treatment (see FIRST AID section on this label).

Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

If eye irritation persists: Get medical advice.

Storage

Disposal : Dispose of container in accordance with local regulations.

*Note: Labeling elements found on the SDS may be different from actual hazards listed on product label. Safety Data Sheets are regulated by OSHA (29 CFR, 1910.1200 (Hazard Communication)) while the actual product label may be regulated by a different government entity. Please contact the responsible party (as listed in Section 1) if you have any questions.

(2c) Hazards not otherwise classified:

None


(2d) Unknown acute toxicity components:

0% of the mixture consists of ingredients of unknown acute toxicity

(2e) NFPA & HMIS Ratings:

NFPA

(0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme (Scale 0-4))



HMIS® III (0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme (Scale 0-4)) HEALTH 1
FLAMMABILITY 1
PHYSICAL HAZARD 0

SECTION 3: Composition and Information on Ingredients

(3a) Disclosure of Ingredients:

Chemical Name:	Identifier (CAS No.):	Concentration:
Reaction products of Epichlorohydrin and Bisphenol	n/a	30-60%
Alkyl Glycidyl Ether	n/a	10-30%

PRODUCT: BASEKOTE Page 2 of 7

(3b) Trade Secret Claim & Notes:

Trade Secret Claim : When applicable, the specific concentration of each hazardous

ingredient is considered a TRADE SECRET. Chemical names and identifiers are released to ensure that each user has entitlements of "right to know" and concentration ranges are selected to ensure that the appropriate hazard classification applies to the mixture. Ingredients not subject to Trade Secret claims are listed at an exact concentration. For more information please contact the responsible party as listed in Section 1. CAS numbers have been withheld under this claim.

Notes : This product may contain other ingredients that are not required to be

disclosed on the label or safety data sheet in accordance with 19 CFR 1910.1200. Any ingredient that is not listed on either the SDS or label is

not considered hazardous and poses no risk to the user.

SECTION 4: First Aid Measures

(4a) Necessary measures if exposed:

GENERAL INFORMATION : Have SDS if medical advice is needed. Seek a medical

professional or doctor if you feel unwell or if any irritation persists.

Please refer to section 4c to determine if exposure requires

immediate medical attention.

IF ON SKIN (or hair) : Wash with soap and water. Take off any contaminated clothing

and launder before reuse.

IF IN EYES : Wash eyes with running water for at least 10 minutes or until

satisfied.

IF INHALED : Move to fresh air. Administer oxygen if breathing is difficult. If

breathing has stopped give artificial respiration and seek medical

attention immediately.

IF INGESTED (or swallowed) : Do not induce vomiting unless instructed to do so by a medical

professional. Never give anything by mouth to an unconscious person. If person is unconscious, roll person on his or her side to

prevent aspiration if vomiting occurs.

(4b) Most important exposure symptoms and effects, both acute and delayed:

Skin contact symptoms : Mixture may dry and crack skin. If irritation or corrosion occurs,

skin will turn red and will feel itchy or uncomfortable.

Eye contact symptoms : Eye sight may become blurry on contact. Redness, irritation, and

tearing may also be associated with exposure.

Inhalation symptoms : Excessive inhalation may cause respiratory irritation, dizziness,

drowsiness, fatigue, nausea, headache, possible unconsciousness, shortness of breath, or vertigo.

Ingestion symptoms : May cause intestinal irritation, nausea, diarrhea, or vomiting.

Aspiration may be fatal in some situations.

(4c) Indication of immediate medical attention if necessary:

Seek immediate medical attention if rash occurs on skin.

SECTION 5: Fire Fighting Measures

(5a) Extinguishing media:

Suitable extinguishing media : Dry chemical, foam, or carbon dioxide.

Unsuitable extinguishing media : Not determined

PRODUCT: BASEKOTE Page 3 of 7

(5b) Specific hazards arising from the chemical:

Fire Hazard : No fire hazard is expected.

Explosion/Combustion Hazard : Not determined

(5c) Special protective equipment and precautions for fire-fighters:

Suggested protective equipment : No suggested equipment is available for recommendation

Precautions for firefighters : Not determined

SECTION 6: Accidental Release Measures

(6a) Personal precautions, protective equipment, and emergency procedures:

If released or spilled : Soak up in absorbent material and collect in suitable containers.

Residual may be removed using steam or hot soapy water.

Protective equipment : See Section 8 for appropriate personal protection gear for safe

handling.

(6b) Methods and materials for containment and cleaning up:

Neutralizing chemical : Not determined

Waste disposal method : Burn in adequate incinerator or bury in an approved landfill. Do not

flush to drain. Contact a professional waste removal company for

proper disposal methods.

SECTION 7: Handling and Storage

(7a) Precautions for safe handling:

Wear protective equipment. Follow specific instructions found on label and in Section 2 of this SDS. Proper protective equipment information can be found in Section 8 of this SDS.

(7b) Conditions for safe storage:

Storage conditions : Follow general housekeeping procedures.

Specific hazards for storage : None known

SECTION 8: Exposure Control and Personal Protection

(8a) Exposure limits:

Chemical Name:	Identifier (CAS No.):	PEL:	ACGIH:	NOISH:
Reaction products of	n/a	n/a	n/a	n/a
Epichlorohydrin and Bisphenol				
Alkyl Glycidyl Ether	n/a	n/a	n/a	n/a

(8b) Appropriate engineering controls:

Good mechanical ventilation may be adequate for maintain airborne concentrations below established exposure limits for large uncontrolled releases. If exposure limits are exceeded and inhaled: use a NOISH approved respirator.

(8c) Individual protection measures and personal protective equipment:

Skin protection : Handle material with gloves and protective clothing. Inspect gloves

prior to use. Use proper glove removal techniques so that no skin comes into contact with the outside of the glove. Gloves must be

chemically resistant (such as rubber).

Eye protection : Use NIOSH/OSHA or EN 166 approved eye protection.

PRODUCT: BASEKOTE Page 4 of 7

General hygiene : Practice good industrial hygiene. Wash hands before breaks and

at the end of the workday. Keep product away from foodstuffs, beverages, and feed. Wash and launder all contaminated clothing

before reuse.

SECTION 9: Physical Characteristics

Appearance : Straw colored liquid
Odor : Faint epoxy-like odor

Odor threshold : Data not available or applicable pH : Data not available or applicable Melting point/freezing point : Data not available or applicable Initial boiling point and range : Data not available or applicable

Flash point : 245°F (118.3°C)

Evaporation rate : Data not available or applicable Flammability : Data not available or applicable Upper/lower explosive limits : Data not available or applicable Vapor pressure : Data not available or applicable Vapor density : Data not available or applicable

Relative density : 1.08-1.10

Solubility : Data not available or applicable
Partition coefficient : Data not available or applicable
Auto-ignition temperature : Data not available or applicable
Decomposition temperature : Data not available or applicable
Viscosity : Data not available or applicable

SECTION 10: Stability and Reactivity

(10a) Reactivity:

Not determined

(10b) Chemical stability:

Stable

(10c) Possibility of hazardous reactions:

Not determined

(10d) Conditions to avoid:

Excessive heating over long periods of time will degrade the resin

(10e) Incompatible materials:

Base materials and strong oxidizing agents.

(10f) Hazardous decomposition:

The by-products expected in incomplete pyrolysis or combustion of epoxy resins are mainly phenolics, carbon monoxide and water. The thermal decomposition products of epoxy resins therefore should be treated as potentially hazardous substances, and appropriate precautions should be taken.

SECTION 11: Toxicological Information

(11a) Likely routes of exposure:

Ingestion, inhalation (if exposed to mists), or skin or eye contact.

PRODUCT: BASEKOTE Page 5 of 7

(11b) Symptoms related to the physical, chemical and toxicological characteristics:

Headache, dizziness, light-headedness, weakness, incoordination, sleepiness; Eye, skin, and respiratory irritation.

(11c) Delayed, immediate effects, and chronic effects from short and longterm exposure:

Not determined

(11d) Numerical measures of toxicity:

Known toxic ingredients Acute toxicity estimates : No ingredients in mixture are considered toxic

LD50 Oral LD50 Dermal

LC50 Inhalation

Not determined (Conclusive, not considered toxic)
Not determined (Conclusive, not considered toxic)
Not determined (Conclusive, not considered toxic)

(11e) Hazardous chemical listings:

National Toxicology Program Report : No ingredients listed International Agency for Research on : No ingredients listed

Cancer

SECTION 12: Ecological Information

(12a) Ecotoxicity:

Product is considered hazardous to aquatic environments. Avoid release into water ways.

(12b) Persistence and degradability:

Not determined

(12c) Bioaccumulative potential:

Not determined

(12d) Mobility in soil:

Not determined

(12e) Other adverse effects:

Not determined

SECTION 13: Disposal Considerations

(13a) Precautions for proper disposal:

Not determined. Consult with licensed waste removal company.

(13b) Other information:

Consult with a licensed waste removal company for proper disposal considerations. Dispose of mixture in accordance with local, state, and federal regulations.

PRODUCT: BASEKOTE Page 6 of 7

SECTION 14: Transportation Information

(14a) United Nations shipping information:

UN shipping number : Not applicable UN proper shipping name : Not applicable IMO Packaging Group : Not applicable

(14b) United States Department of Transportation information:

Transport hazard class : Not applicable D.O.T. shipping name : Not applicable D.O.T. classification : Not applicable

Shipping placards

(14c) Other information:

Environmental hazards : Yes, is hazardous to aquatic environments

International bulk chemical code : Not determined Special precautions : Not determined

SECTION 15: Regulatory Information

SARA 302 components : No applicable ingredients SATA 313 components : No applicable ingredients

Safety Data Sheet : OSHA, 29 CFR 1910.1200 of the United States Code

Regulatory Agency

Product and Product Label : OSHA, 29 CFR 1910.1200 of the United States Code

Regulatory Agency

Note : The product label and its wording and symbols may differ from the

hazard categories, statements, and wording that are presented in this SDS. This might occur if the product is not subject to OSHA labeling requirements or if the product is regulated by a different government. The label may also indicate additional hazards or precautions that are not listed on this safety data sheet—this is done at the discretion of the responsible party and only serves to ensure that the user's safety is prioritized above government

regulation.

SECTION 16: Other Information

(16a) Statement of warranty:

This information is based on KOREKOTE's current knowledge and is intended to explain the product for the purposes of health, safety and environmental requirements only. It should not be construed as a guarantee of any specific property of the product. As the conditions or methods of use can vary beyond KOREKOTE's control, KOREKOTE does not assume any responsibility and expressly disclaims any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local laws and regulations remains the responsibility of the user.

(16b) Date of preparation and revision:

CREATED ON: 16 May 2015

LATEST REVISION MADE ON: 10 June 2015

PRODUCT: BASEKOTE Page 7 of 7